Data Mining Applications in Tourism: A Keyword Analysis

Mirjana Pejić Bach

Faculty of Economics & Business
University of Zagreb
Trg J.F. Kennedyja 6, 10000 Zagreb, Croatia
mpejic@efzg.hr

Markus Schatten

Faculty of Organization and Informatics
University of Zagreb
Pavlinska 2, 42000 Varaždin, Croatia
markus.schatten@foi.hr

Zrinka Marušić

Institute for Tourism Vrhovec 5, 10000 Zagreb, Croatia zrinka.marusic@iztzg.hr

Abstract. The paper reviews applications of data mining in academic papers dealing with tourism industry, both from demand and supply side.. Web of science, SCOPUS, and in particular key tourism journals published in 1995 – 2013 period have been searched with the usage of appropriate keywords. Literature searches revealed 88 papers that present applications of data mining in tourism. Keyword and conceptual network analysis were conducted with the usage of Wordle and LaNet-vi tools. Papers from tourism related journals and ICT related journals were analysed separately. In order to detect historic trends, analysis was conducted separately for the two periods before 2005, and since 2006. The conclusion of the paper is that tourism steps on a path to evolve to being both people-driven and data-driven, thus utilizing data mining approach as leverage towards increased competitiveness and profitability.

Keywords. data mining, tourism, keywords, conceptual network, review

1 Introduction

Data mining emerged in the 80's from the fields of machine learning, statistics, and databases, and has eventually taken place as one of the most important tools to get additional value from information gathered in organizational databases [1]. Its application is large and it usually results in specific knowledge that is a basis for action. Examples are segmentation, lifetime value, and credit scoring and churn prediction. Data mining in most cases explores data generated transactions, such as sales transactions, web logs, and process generated transactions by the use of machine learning and statistical techniques [3].

Modern technology has had a great impact to tourism since the 90s, when Internet technologies became the most dominant communication channel [2].

Changes occurred both on the demand and the supply side. Tourists' expectations are related not only to tourism services, but also to technology. Tourists expect that tourism companies actively implement modern technologies as the part of the value chain. Modern trends and technologies generated a whole set of new tools, such as recommendation systems [5]. In addition, new technologies help tourism companies to establish one-to-one connection with tourists, thus increasing the customer loyalty [8].

The number of reviewed papers has investigated the usage of modern technologies in tourism, but to our knowledge, attempts to review data mining and tourism are rare. The goal of this paper is therefore to review data mining applications in tourism based on the keywords analysis.

2 Methodology

The following steps were performed in order to collect literature that investigates applications of data mining in tourism. First, Scopus and Web of Science databases were searched with the use of following keywords: data mining, knowledge discovery in databases, tourism, tourist, destination, travel and hotel. Since words tourism and tourist, have many derivatives, a lemmatization feature of Web of Science was turnedon in order to include similar words. We set the time frame to the period from 1995 to 2013. In addition, tourism journals included in Web of Science and Scopus were also searched with the usage of the above keywords. We limited the search to peer-reviewed journals only. Just few articles that contain the above keywords were found that actually do not tackle the issue of the paper, and were therefore excluded from the analysis. Based on such approach, we found 88 papers in journals indexed in Web of Science and/or Scopus that deal with data mining applications in tourism.

In order to conduct keyword and conceptual network

analysis, we used Wordle¹ and LaNet-vi² tools. The three goals of the research were set: (i) to detect main concepts in tourism data mining applications, (ii) to detect historic trends, (iii) to detect differences between ICT and tourism related journals. Keywords were first analysed with the usage of conceptual network visualization using LaNet-vi. Then, keyword analysis was conducted for the two periods (before 2005, and since 2006) and for the two groups of journals (ICT and tourism related).

3 Results

The obtained results are summarized in the following two subsections.

3.1 Conceptual network visualization

In order to gain insight into the mutual interconnection between the various keywords in papers that investigate data mining applications in tourism, we constructed a conceptual network based on co-affiliation; e. g. two keywords are connected if they are used in the same article which is similar to the approaches given in [4,6,7]. The conceptual network has been visualized using LaNet-vi and is shown on Figure 1.

The size of the node (shown on the left node size scale on the image) visualizes the number of connections a node has, whilst the colour of the node depicts its interconnection with other nodes in the same core (depicted in the right scale of node colours in the image).

As can be seen on the image there are 6 cores representing each a certain area of mainstream research as well as an outer sparsely connected residue representing non-mainstream areas of research. The six cores, from inside to outside, can be recognized as: (i) data mining and forecasting; (ii) machine learning and personalization; (iii) tourism management; (iv) tourism systems (recommendation systems, geographic information systems, mobile systems etc.); (v) segmentation, and (vi) advanced techniques (support vector regression, multi agent systems, particle swarm optimization etc.).

3.2 Keyword analysis

In the following part of the paper we present four keyword visualizations in order to gather better insight into the matter. With the use of Wordle as a visualization tool four visualizations were created: (i) keywords visualization of papers published prior to and including 2005; (ii) keywords visualization of papers published since 2006; (iii) keywords visualization of papers published in ICT related publications, and (iv)

keywords visualization of papers published in tourism related publications.

The first visualization is depicted in Figure 2. From the image one can conclude that the most important keywords in papers published prior to 2005 were: tourism, segmentation, neural, information, mining, marketing, networks and forecasting.



Figure 2: Visualization of keywords until 2005

Figure 3 depicts the visualization of keywords in papers published since 2006. The most important keywords here were: tourism, segmentation, analysis, systems, data, mining, fuzzy, forecasting, travel, and recommender.



Figure 3: Visualization of keywords since 2006



Figure 4: Visualization of keywords in ICT related publications

These two depictions allow us to conclude that there was a shift in research in the observed intervals regarding to technology. Whilst in the former neural networks seem to be the important mainstream approach, in the latter approaches and recommender systems seem to be a surface. In both intervals tourism, data/information mining, forecasting and segmentation play an important role.

http://www.wordle.net/

²http://lanet-vi.soic.indiana.edu/




Figure 1: Conceptual network visualization

Figure 4 depicts the visualization of keywords in ICT related publications. Most important keywords include: systems, tourism, recommender, data, and fuzzy.

The visualization of keywords in tourism related publications on the other hand is quite different (Figure 5). Here the most important keywords include: segmentation, analysis, mining, tourism, and data.



Figure 5: Visualization of keywords in tourism related publications

When compared it becomes obvious that ICT related publications are especially focused on various types of (software) systems and their implementation while tourism related publications are more interested in analysis of actual data.

4 Discussion and conclusion

In order to get insights in applications of data mining in tourism we have conducted a thorough literature search with the selected keywords related to both research areas. After careful investigation, 88 peer-reviewed articles were selected and analysed applying the method of conceptual networks and keyword analysis. The following results emerged. First, six core areas of data mining applications in tourism were detected by the use of conceptual networks. These fields cover applications of data mining in forecasting, personalization, tourism management, tourism systems (such as recommendation systems), and machine learning techniques such as support vector regression, multi agent systems, particle swarm optimization etc. Second, keyword analysis comparing the two time periods (1995 to 2005 vs. 2006 to 2013) was conducted. The first period revealed keywords oriented towards specific applications, such as segmentation, forecasting, and marketing. The second one revealed keywords oriented towards more advanced systems and technologies, such as recommender and fuzzy, although segmentation and forecasting still remained highly pondered. As expected, papers from tourism journals were more practically oriented, while papers from ICT journals were more technically oriented.

Our research opens an interesting area of data mining applications in tourism with keywords analysis based on the investigation of Web of Science and Scopus journal articles. However, this also generates the limitations of our study. First, more elaborate analysis with the in-depth analysis of the articles should be conducted in order to get more insight into what decisions in tourism are being driven by the use of data mining, and what methodology, sample and time are being used in the process. In addition, usage of additional sources such as case study reports and papers from highly respected, practically oriented conferences, should also be considered as candidates for future studies.

References

- [1] Chou, D.C.; Chou, A.Y. A Manager's Guide to Data Mining. Information Systems Management, 16(4): 33-41, 1999.
- [2] Hjalager, A.M.; Nordin, S. User-driven Innovation in Tourism—A Review of Methodologies, Journal of Quality Assurance in Hospitality & Tourism, 12(4):289-315, 2011.
- [3] Lee, S.J.; Siau, K. A review of data mining techniques, International Management and Data Systems, 101(1): 41–46, 2001.
- [4] Mika, P. Ontologies are us: A unified model of social networks and semantics. Web Semantics: Science, Services and Agents on the World Wide Web 5(1):5-15, 2007.
- [5] Park, D.H., Kim, H.K., Choi, I.Y., Kim, J.K. A literature review and classification of recommender systems research, Expert Systems with Applications, 39(11):10059-10072, 2012.
- [6] Schatten, M. What Do Croatian Scientists Write About? A Social and Conceptual Network Analysis of the Croatian Scientific Bibliography, Interdisciplinary Description of Complex Systems, 11(2):190-208, 2013.
- [7] Schatten, M; Rasonja, J; Halusek, P; Jakelić, F. An Analysis of the Social and Conceptual Networks of CECIIS 2005 2010. Central European Conference on Information and Intelligent Systems, Varaždin, 259-264, 2011.
- [8] Sharma, S.; Goyal, D.P.; Mittal, R.K. Data mining research for customer relationship management systems: a framework and analysis, International Journal of Business Information Systems, 3(5):549–565, 2008.

Appendix - List of reviewed papers

- [1] Alptekin, G, Büyüközkan, G. An integrated case-based reasoning and MCDM system for Web based tourism destination planning. Expert Systems with Applications, 38(3):2125-2132, 2011.
- [2] Ardissono, L; Goy. A; Petrone G; Signan, M; Torasso, P. Intrigue: Personalized recommendation of tourism attractions for desktiop and handset devices. Applied Artificial Intelligence, 17(8-9): 687-714, 2003.
- [3] Arimond, G; Elfessi, A. A clustering method for categorical data in tourism market segmentation research. Journal of Travel Research, 39(4): 391-397, 2001.
- [4] Assaker, G; Hallak, R. European travelers' return likelihood and satisfaction with Mediterranean sun-and-sand destinations A Chi-square Automatic Identification Detector-based segmentation approach. Journal of Vacation Marketing, 18(2):105-120, 2012.
- [5] Bloom, JZ. MARKET SEGMENTATION: A Neural Network Application. Annals of Tourism Research, 32(1):93-111, 2005.
- [6] Bloom, JZ. Tourist market segmentation with linear and non-linear techniques. Tourism Management, 25(6):723-733, 2004.
- [7] Burger, CJSC; Dohnal, M; Kathrada, M; Law, R. A practitioners guide to time-series methods for tourism demand forecasting — a case study of Durban, South Africa. Tourism Management, 22(4):403-409, 2001.
- [8] Bustos, F; López, J; Julián, V; Rebollo, M. STRS: Social Network Based Recommender System for Tourism Enhanced with Trust. Advances in Soft Computing, 50:71-79, 2009.
- [9] Büyüközkan, G; Ergün, B. Intelligent system applications in electronic tourism. Expert Systems with Applications, 38(6):6586-6598, 2011.
- [10] Byrd, ET; Gustke, L. Using decision trees to identify tourism stakeholders. Journal of Place Management and Development, 4(2):148 168, 2011.
- [11] Chao-Hung Wang, Li-Chang Hsu, Constructing and applying an improved fuzzy time series model: Taking the tourism industry for example, Expert Systems with Applications, 34(4):2732-2738, 2008.
- [12] Chen, JS. Market segmentation by tourists' sentiments. Annals of Tourism Research, 30(1):178-193, 2003.
- [13] Chen, KY. Combining linear and nonlinear model in forecasting tourism demand. Expert Systems with Applications, 38(8):10368-10376, 2011.

- [14] Chen, M-S; Ying, L-C; Pan, M-C. Forecasting tourist arrivals by using the adaptive network-based fuzzy inference system. Expert Systems with Applications, 37(2):1185-1191, 2010.
- [15] Chiang, WY. Applying a New Model of Customer Value on International Air Passengers' Market in Taiwan. International Journal of Tourism Research, 14:116-123, 2012.
- [16] D'Urso, P; De Giovanni, L; Disegna, M; Massari, R. Bagged Clustering and its application to tourism market segmentation. Expert Systems with Applications, Available online 15 March 2013.
- [17] da Fontoura Costa, L; Baggio, R. The web of connections between tourism companies: Structure and dynamics. Physica A: Statistical Mechanics and its Applications, 388(19):4286-4296, 2009.
- [18] Delen, D; Sirakaya, E. Determining the efficacy of data mining methods in predicting gaming ballot outcomes. Journal of Hospitality and Tourism Reserach, 30(3):313-332, 2006.
- [19] Dolnicar, S; Kaiser, S; Lazarevski, K; Leisch, F. Overcoming Data Dimensionality Problems in Market Segmentation. Journal of Travel Research, 51(1):41-49, 2012.
- [20] Emrich, A; Chapko, A; Werth, D. Context-aware recommendations on mobile services: the m:Ciudad approach. Lecture Notes in Computer Science, 107-120, 2009.
- [21] Garcia, I; Sebastia, L; Onaindia, E. On the design of individual and group recommender systems for tourism. Expert Systems with Applications, 38(6):7683-7692, 2011.
- [22] Garcia, I; Sebastia, L; Onaindia, E; Guzman, C. A Group Recommender System for Tourist Activities. Lecture Notes in Computer Science 56:26-37, 2009.
- [23] García-Crespo, A; López-Cuadrado, JL; Colomo-Palacios, R; González-Carrasco, I; Ruiz-Mezcua, B. Sem-Fit: A semantic based expert system to provide recommendations in the tourism domain. Expert Systems with Applications, 38(10):13310-13319, 2011.
- [24] Gavalas, D; Kenteris, M. A web-based pervasive recommendation system for mobile tourist guides. Personal Ubiquitous Computing, 15:759-770, 2011.
- [25] Golmohammadi, A; Ghareneh, NS; Keramati, A; Jahandideh, B. Importance analysis of travel attributes using a rough set-based neural network: The case of Iranian tourism industry, Journal of Hospitality and Tourism Technology, 2(2):155 171, 2011.

- [26] Grigolon, A; Kemperman, A; Timmermans, H. Exploring interdependencies in students' vacation portfolios using association rules. European Journal of Tourism Research, 5(2):93-105, 2012.
- [27] Gürbüz, F; Özbakir, L; Yapici, H. Data mining and preprocessing application on component reports of an airline company in Turkey. Expert Systems with Applications, 38(6):6618-6626, 2011.
- [28] Ha, SH; Park, SC. Application of data mining tools to hotel data mart on the Intranet for database marketing. Expert Systems with Applications, 15(1):1-31, 1998,
- [29] Hadavandi, E; Ghanbari, A; Shahanaghi, K; Abbasian-Naghneh, S. Tourist arrival forecasting by evolutionary fuzzy systems. Tourism Management, 32(5):1196-1203, 2011.
- [30] Hong, W-C. An Improved Neural Network Model in Forecasting Arrivals. Annals of Tourism Research, 32(4):1138-1141, 2005.
- [31] Hoontrakul, P; Sahadev, S. Application of data mining techniques in the on-line travel industry: A case study from Thailand. Marketing Intelligence & Planning, 26(1):60-76, 2008.
- [32] Hsu, CHC; Kang, SK. CHAID-based segmentation: international visitors' trip characteristics and perceptions. Journal of travel research, 46(2): 207-216, 2008.
- [33] Hsu, C-I; Shih, M-L; Huang, B-W; Lin, B-Y; Lin, C-N. Predicting tourism loyalty using an integrated Bayesian network mechanism. Expert Systems with Applications, 36(9):11760-11763, 2009.
- [34] Hsu, F-M; Lin, Y-T; Ho, T-K. Design and implementation of an intelligent recommendation system for tourist attractions: The integration of EBM model, Bayesian network and Google Maps. Expert Systems with Applications, 39(3):3257-3264, 2012.
- [35] Huang, Y; Bian, L. A Bayesian network and analytic hierarchy process based personalized recommendations for tourist attractions over the Internet. Expert Systems with Applications, 36(1):933-943, 2009.
- [36] Hwang, J, Zhao, J. Factors influencing customer satisfaction or dissatisfaction in the restaurant business using AnswerTree methodology. Journal of quality assurance in hospitality & tourism, 11(2): 93-110, 2010.
- [37] Kang, SK; Hsu, CHC; Wolfe, K. Family Traveler Segmentation by Vacation Decision-Making Patterns. Journal of Hospitality & Tourism Research, 27(4):448-469, 2003.

- [38] Kardaras, DK; Karakostas, B; Mamakou, XJ. Content presentation personalisation and media adaptation in tourism web sites using Fuzzy Delphi Method and Fuzzy Cognitive Maps. Expert Systems with Applications, 40(6):2331-2342, 2013.
- [39] Kisilevich, S; Keim, K; Rokach, L. A GIS-based decision support system for hotel room rate estimation and temporal price prediction: The hotel brokers' context. Decision Support Systems, 54(2):1119-1133, 2013.
- [40] Kuo, RJ; Akbaria, K; Subroto, B. Application of particle swarm optimization and perceptual map to tourist market segmentation. Expert Systems with Applications, 39(10):8726-8735, 2012.
- [41] Lau K-N; Lee K-H; Ho Y. Text mining for the hotel industry. Cornell Hotel & Restaurant Administration Quarterly, 46(3):345-363, 2005.
- [42] Law, R. Back-propagation learning in improving the accuracy of neural network-based tourism demand forecasting. Tourism Management, 21(4):331-340, 2000.
- [43] Law, R.; Bauer, T; Weber, K; Tse, T. Towards a Rough Classification of Business Travelers. Lecture Notes in Computer Science, 4093:135-142, 2006.
- [44] Law, R; Rong, R; Vu, HQ; Li, G; Lee, HA. Identifying changes and trends in Hong Kong outbound tourism. Tourism Management, 32(5):1106-1114, 2011.
- [45] Leung, R; Law, R. Analyzing a Hotel Website's Access Paths. Information and Communication Technologies in Tourism, 2008:255-266, 2008.
- [46] Leung, R; Rong, J; Li, G. An Analysis on Human Personality and Hotel Web Design: a Kohonen Network Approach. ENTER:573-585, 2011.
- [47] Li, G., Law, R., Wang, J. Analyzing International Travelers' Profile with Self-Organizing Maps. Journal of Travel & Tourism Marketing, 27(2):113-131, 2010.
- [48] Li, G; Law, R; Vu, HQ; Rong, J. Discovering the hotel selection preferences of Hong Kong inbound travelers using the Choquet Integral, Tourism management, 36:321-330, 2013.
- [49] Liao, SH; Chen, JY; Deng, MY. Mining customer knowledge for tourism new product development and customer relationship management. Expert Systems with Applications, 37(6):4212-4223, 2010.
- [50] Lin, C-S; Lee, C; Chen, W-Y. An expert system approach to assess service performance of travel intermediary. Expert Systems with Applications, 36(2):2987-2996, 2009.

- [51] Lin, C-T; Juan, P-J. Developing a hierarchy relation with an expert decision analysis process for selecting the optimal resort type for a Taiwanese international resort park. Expert Systems with Applications, 36(2):1706-1719, 2009.
- [52] Linaza, MT; Agirregoikoa, A; Garcia, G; Torres, JI; Aranburu, K. Image-based Travel Recommender System for small tourist destinations. Information and Communication Technologies in Tourism, 2011:1-12, 2011.
- [53] Liu, L; Bhattacharyya, S; Sclove, SL; Chen, R; Lattyak, WJ. Data mining on time series: an illustration using fast-food restaurant franchise dana. Computational Statistics & Data Analysis, 37(4):455-476, 2001.
- [54] Loh, S; Lorenzi, F; Saldaña, R; Licthnow, D. A tourism recommender system based on collaboration and text analysis. Information Technology and Tourism, 6(3):157-165, 2003.
- [55] Lorenzi, F; Bazzan, ALC; Abel, M; Ricci, F. Improving recommendations through an assumption-based multiagent approach: An application in the tourism domain. Expert Systems with Applications, 38(12): 14703-14714, 2011.
- [56] Low, BT; Cheng, CH; Wong, KF; Motwani, J. An expert advisory system for the tourism industry. Expert Systems with Applications, 11(1):65-77, 1996.
- [57] Luberg, A; Järv, P; Tammet, T. Information Extraction for a Tourist Recommender System. Information and Communication Technologies in Tourism, 2012:332-343, 2012.
- [58] Lucas, JP; Luz, N; Moreno, MN; Anacleto, R; Almeida, A; Constantino Martins, F. A hybrid recommendation approach for a tourism system. Expert Systems with Applications, 40(9):3532-3550, 2013.
- [59] Magnini V; Honeycutt ED; Hodge SK. Data mining for hotel firms: use and limitations. Cornell Hotel & Restaurant Administration Quarterly, 44(2):94-105, 2003.
- [60] Min, H; Min, H; Eman, A. A data mining approach to developing the profiles of hotel customers. International Journal of Contemporary Hospitality Management, 14(6):274-285, 2002.
- [61] Montejo-Ráez, A; Perea-Ortega, JM; García-Cumbreras, MA; Martínez-Santiago, F. Otiŭm: A web based planner for tourism and leisure. Expert Systems with Applications, 38(8):10085-10093, 2011.
- [62] Noguera, JM; Barranco, MJ; Segura, RJ; Martínez, L. A mobile 3D-GIS hybrid recommender system for tourism. Information Sciences, 215:37-52, 2012.

- [63] O'Connor, P; Murphy, J. Research on information technology in the hospitality industry. International Journal of Hospitality Management, 23(5):473-484, 2004.
- [64] Olmeda I, Sheldon PJ. Data mining techniques and applications for tourism Internet marketing. Journal of Travel & Tourism Marketing, 11(2):1-20, 2001.
- [65] Orellana, D; Bregt, AK; Ligtenberg, A; Wachowicz, M. Exploring visitor movement patterns in natural recreational areas. Tourism Management, 33(3):672-682, 2012.
- [66] Pattie, CD; Snyder, J. Using a neural network to forecast visitor behavior. Annals of Tourism Research, 23(1):151-164, 1996.
- [67] Pyo, S; Uysal, M; Chang, H. Knowledge Discovery in Database for Tourist destinations. Journal of Travel Research, 40: 396-403, 2002.
- [68] Rabanser, U; Ricci, F. Recommender Systems: Do They Have a Viable Business Model in e-Tourism? Information and Communication Technologies in Tourism, 2005:160-171, 2005.
- [69] Ricca, F; Dimasi, A; Grasso, G; Ielpa, SM; Iiritano, S; Manna, M; Leone, N. A Logic-Based System for e-Tourism. Fundamentals of Information, 105(1-2):35-55, 2010.
- [70] Rong, J; Vu HQ; Law, R; Li, G. A behavioral analysis of web sharers and browsers in Hong Kong using targeted association rule mining. Tourism Management, 33(4):731-740, 2012.
- [71] Santiago, FM; LóPez, FA; Montejo-RáEz, A; LóPez, AU. GeOasis: A knowledge-based georeferenced tourist assistant. Expert Systems with Applications, 39(14):11737-11745, 2012.
- [72] Shahrabi, J; Hadavandi, E; Asadi, S. Developing a hybrid intelligent model for forecasting problems: Case study of tourism demand time series. Knowledge-Based Systems, 43(5): 112-122, 2013.
- [73] Sharma, S; Goyal, DP; Mittal, RK. Data mining research for customer relationship management systems: a framework and analysis. International Journal of Business Information Systems, 3(5):549 565, 2008.
- [74] Sung, HH. Classification of Adventure Travelers: Behavior, Decision Making, and Target Markets. Journal of Travel Research, 42:343-356, 2004.
- [75] Tkaczynski, A; Rundle-Thiele, S; Beaumont, N. Destination Segmentation A Recommended Two-Step Approach. Journal of Travel Research, 49(2): 139-152.
- [76] Tsaur, R-C; Kuo, T-C. The adaptive fuzzy time series model with an application to Taiwan's tourism demand. Expert Systems with Applications, 38(8):9164-9171, 2011.

- [77] Uysal, M. Advancement in Computing: Implications for Tourism and Hospitality. Scandinavian Journal of Hospitality and Tourism, 4(3):208-224, 2004.
- [78] Voges, K.E. Rough Clustering of Destination Image Data Using an Evolutionary Algorithm. Journal of Travel & Tourism Marketing, 21(4):121-137, 2007
- [79] Wong, J; Chen, H; Chung, P; Kao, N. Identifying valuable travelers and their next foreign destination by the application of data mining techniques. Asia Pacific Journal of Tourism Reserach, 11(4): 355-373, 2006.
- [80] Wong, JY, Chung, PH. Retaining Passenger Loyalty through Data Mining: A Case Study of Taiwanese Airlines. Transportation Journal, 47(1):17-29, 2008.
- [81] Wong, JY; Chung PH. Managing valuable Taiwanese airline passengers using knowledge discovery in database techniques. Journal of Air Transport Management, 13(6): 362-370.
- [82] Wu, EHC; Law, R; Jiang, B. Predicting Browsers and Purchasers of Hotel Websites. Cornell Hospitality Quarterly, 54(1):38-48, 2013.
- [83] Wu, EHC; Law, R; Jiang, B. Data Mining For Hotel Occupancy Rate: An Independent Component Analysis Approach, Journal of Travel & Tourism Marketing, 27(4): 426-438, 2010.
- [84] Wu, Q; Law, R; Xu, X. A sparse Gaussian process regression model for tourism demand forecasting in Hong Kong. Expert Systems with Applications, 39(5):4769-4774, 2012.
- [85] Xia, JC; Evans, FH; Spilsbury, K; Ciesielski, V; Arrowsmith, C; Wright, G. Market segments based on the dominant movement patterns of tourists. Tourism Management, 31(4):464-469, 2010.
- [86] Xu, X; Law, R., Wu, T. Support Vector Machines with Manifold Learning and Probabilistic Space Projection for Tourist Expenditure Analysis. International Journal of Computational Intelligence Systems, 2(1): 17-26, 2009.
- [87] Ye, Q; Law, R; Li, S; Li, Y. Feature extraction of travel destinations from online Chinese-language customer reviews, International Journal of Services Technology and Management, 15(1/2):106–118, 2011
- [88] Ye, Q; Zhang, Z; Law, R. Sentiment classification of online reviews to travel destinations by supervised machine learning approaches. Expert Systems with Applications 36(3):6527-6535, 2009.